

HDCD21-36A

2.0 Megapixel 1080P HD-over-Coax Armor Ball w/Built-in Microphone



Features

- 1/2.7" 2.0 Megapixel CMOS
- 25/30fps @ 1080P
- Built in Microphone - Audio over Coax
- High speed, long distance real-time transmission
- OSD Menu, Control over Coaxial Cable
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm fixed lens
- Max. IR LEDs length 164ft (50m), Smart IR
- IP67, DC12V



Specifications

HDCD21-36A	
Image Sensor	1/2.7" 2.0 Megapixel CMOS
Resolution	1930 x 1088
Frame Rate	25/30/50/60fps@720P; 25/30fps@1080P
Electronic Shutter	1/30s ~ 1/100,000s
Effective Picture (H x V)	1930 x 1088
Video Output	1 x BNC - HD-over-Coax
Focal Length	3.6mm
Lens Type	Fixed
Angle of View	H: 89.9°
Min. Illumination Color / B&W	0.02 Lux @ F1.2 (AGC On), 0 Lux (IR On)
Infrared Range	164ft. (Max.)
Day / Night	Auto (ICR) / B&W / Color
Noise Reduction	2D-DNR
Weatherproof Rating	IP67
Transmission Distance	Over 1,640ft (500m) via 75-3 coaxial cable
Bracket Included	No; Fits HDBKT3 & JB212 Brackets
Power Supply	12V±10% DC
Working Environment	-22°F ~ 140°F (-30°C ~ 60°C), less than 80% RH (no condensation)
Dimensions / Weight	3.7" x 4.17" / Approx. 1 lbs